



Workshop & Garage



Interior Structure



Double Garage

### COLORBOND® Steel Contemporary Colours

Surfmist®	Evening Haze®	Shale Grey™
Dune®	Windspray®	Gully™
Mangrove®	Wallaby®	Basalt®
Ironstone®	Terrain®	Monument®
Cove™	Jasper®	

### COLORBOND® Steel Classic Colours

Classic Cream™	Cottage Green®	Deep Ocean®
Manor Red®	Night Sky®	Pale Eucalypt®
Paperbark®	Woodland Grey®	



Copyright © Aussie Outdoor Sheds & Patios 2014. The material used in this brochure remains the property of Metroof Contracting Pty Limited. No part of this brochure may be reproduced, stored or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise without written permission from Metroof Contracting Pty Limited ABN: 59 079 696 843. The company reserves the right to change and/or edit details or specifications in this brochure without notice.

This catalogue is intended as a reference for DIY, trades & professionals specifying and installing Aussie Outdoor® products and not intended to replace professional advice. All reasonable care has been taken in the compilation of the information contained in this catalogue. Please check with each Aussie Outdoor® branch for product availability. All recommendations on the use of our products are made without guarantee as conditions of use are beyond the control of Aussie Outdoor®. Prices are kit prices only and do not include delivery costs, council approvals, building certificates, concreting and other associated costs and fees. Kit buildings are suitable for Region A, Terrain Category 3.0, Importance Level 2, Shielding 0.85, Topography 1.0. Site conditions need to be checked by an appropriately qualified person prior to building commencements.

AQUAPLATE®, COLORBOND®, GALVSPAN®, ZINCALUME® steels, Thermatech® are all registered trade marks of BlueScope® Steel Limited.

**For Technical Information on Sheds Refer to the Aussie Outdoors® Kit Shed & Garage Technical Information Guide.**

**Distributed By:**

**[www.aussieoutdoorsheds.com.au](http://www.aussieoutdoorsheds.com.au)  
P: 1300 780 708**



# STUD FRAME SHEDS & GARAGES



Left: Two door COLORBOND® steel gable shed with a double garaport, one window & one personnel access door.

Right: COLORBOND® steel 2 bay garage with single bay workshop roller doors, one personnel access door & one window.

## Quality

AOK Stud Frame Kit Sheds use high quality BlueScope® steel, and have been designed in Australia to withstand the harsh Australian conditions.

## Garaports

- Garaports are 6m long x span & 3m long x span
- Garaports have sheet gable infill with 230mm skirts on either side of its length
- Garaport side awnings are 3m in width x the length of the shed frame excluding the garaport

## Gable Entry Garages

Span (mm)	Length (mm)	Eaves Heights (mm)	Roller Doors - Options 2650mm Wide (mm)				Windows (mm)
4000	6000	2400, 2700, 3000	2400 Eaves	2100H	-	-	600H x 1370W
6150	7500	2400, 2700, 3000					900H x 1370W
7650	9000	2400, 2700, 3000	2700 Eaves	2100H	2400H	-	900H x 1370W
9150	10500	2400, 2700, 3000					900H x 1370W
9150	12000	2400, 2700, 3000	3000 Eaves	2100H	2400H	2700H	900H x 1370W

## Design

The AOK Stud Frame Kit Sheds and Garages consist of steel stud frame wall panels and a steel roofing system that forms a cathedral style ceiling utilising C-Section rafter design for strength and ease of construction.


These kit sheds come in 'Flat Pack' with all components individually pre punched, cut to length, numbered and packed to exact specifications. Kit sheds include a simple, easy to follow instruction manual that has been formulated for onsite construction with the owner builder in mind.

## Side Entry Garages


Span (mm)	Length (mm)	Eaves Heights (mm)	Roller Doors - Options 2650mm Wide (mm)				Windows (mm)
6000	6150	2400, 2700, 3000	2400 Eaves	2100H	-	-	600H x 1370W
7500	7650	2400, 2700, 3000					900H x 1370W
9000	9150	2400, 2700, 3000	2700 Eaves	2100H	2400H	-	900H x 1370W
9000	10650	2400, 2700, 3000					900H x 1370W
9000	12150	2400, 2700, 3000	3000 Eaves	2100H	2400H	2700H	900H x 1370W




**Option 1: Standard gable with cathedral ceiling design utilising C purlin rafters**




**Option 2: As per standard gable with 3m wide full length open awning**



**Option 3: Standard gable with an open garaport with cathedral ceilings utilising C purlins**



**Option 4: Standard gable with side entry access up to 12m long allowing you the choice of bays**



The scope of designs for this fully bolted purlin and frame system encompasses the following structure types:

- ▶ Residential garages & sheds
- ▶ Australian barn design with open awnings

A multitude of designs are available with spanning capabilities up to 9m that comply with the following:

- ▶ Building Code of Australia
- ▶ The principles of the Steel Shed Group Design Guide
- ▶ Australian Steel Institute
- ▶ All designs are manufactured from materials certified or tested for compliance with Australian Standards
- ▶ All kits are fully engineered and all necessary documentation including structural integrity report, slab design, structural detail report, certified assembly drawings for lodgement with councils Australia wide is provided.

## Benefits

- ▶ Wall heights 2.4m, 2.7m or 3.0m
- ▶ 15 years BlueScope® warranty on framing & cladding materials (conditions apply)
- ▶ 15° roof pitches
- ▶ Obligation free quotations
- ▶ Comprehensive construction manuals
- ▶ Large range of COLORBOND® steel colours